

# *AnyWay*

---

**DP1000**

**V1.3**



 **银河电气**  
YINHE ELECTRIC

|       |    |
|-------|----|
| ..... | 1  |
| ..... | 1  |
| ..... | 2  |
| ..... | 2  |
| ..... | 5  |
| ..... | 6  |
| ..... | 8  |
| ..... | 12 |
| ..... | 12 |
| ..... | 12 |

**DP1000**

DP1000



- ◆
- ◆
- ◆
- ◆



DP1000


DP1000

50ppm




- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆


1



1

1





2

|   |        |            |  |
|---|--------|------------|--|
|   |        |            |  |
| 1 | ON/OFF |            |  |
| 2 | Hi     |            |  |
| 3 | Lo     |            |  |
| 4 | AC220V |            |  |
| 5 | RS232C |            |  |
| 6 | ⏏      |            |  |
| 7 | 200mA  | 200mA      |  |
| 8 | 100A   | 100A       |  |
| 9 | 1000A  | 100A 1000A |  |

2



3


(

|   |       |       |       |
|---|-------|-------|-------|
|   |       |       |       |
| 1 | /     | /     |       |
| 2 |       |       |       |
| 3 | 200mA | 200mA |       |
| 4 | 100A  | 100A  | 100A  |
| 5 | 1000A | 1000A | 1000A |
| 6 | 10V   | 10V   |       |
| 7 | 100V  | 100V  |       |
| 8 | 1000V | 1000V |       |

3

4

1 350mm\*330mm\*148mm



3





2



4 DP1000



|  |       |                         |       |       |
|--|-------|-------------------------|-------|-------|
|  |       |                         | 12    |       |
|  | 1000A | 0.005%FS<br>50ppm       | 85ppm | 2ppm/ |
|  | 100A  | 0.005%FS<br>50ppm       | 85ppm | 2ppm/ |
|  | 200mA | 0.005%FS<br>50ppm       | 85ppm | 2ppm/ |
|  | 1000A | $\varphi = 80\text{mm}$ |       |       |
|  | 100A  | $\varphi = 26\text{mm}$ |       |       |

|  |                        |                   |        |       |
|--|------------------------|-------------------|--------|-------|
|  |                        |                   | 12     |       |
|  | 10V                    | 0.005%FS<br>50ppm | 85ppm  | 2ppm/ |
|  | 100V                   | 0.005%FS<br>50ppm | 85ppm  | 2ppm/ |
|  | 1000V                  | 0.005%FS<br>50ppm | 85ppm  | 2ppm/ |
|  | * * =350mm*148mm*330mm |                   |        |       |
|  | 1000A                  | 100A              | ±75mA  |       |
|  | 10V                    | 100V              | ±1.1mV |       |
|  | 100V                   | 1000V             | ±11mV  |       |
|  | RS232C                 |                   |        |       |
|  | AC220V@50Hz            |                   |        |       |



(1)

RS232C

9 8

1

115200bps

(2)

1 2

1

|        |                   |
|--------|-------------------|
|        |                   |
| 1Byte  | 0x55              |
| 2Bytes |                   |
|        |                   |
| 1Byte  | 0xAA              |
|        |                   |
| 1Byte  | 0x01              |
| 2Bytes |                   |
| 1Byte  | 0x00<br>0x01 0x09 |
| 2Bytes |                   |
|        | 2                 |
|        |                   |

(3)

MCU

MCU

2

37Bytes

2

|   |  |         |                           |        |
|---|--|---------|---------------------------|--------|
|   |  |         |                           |        |
| 0 |  | 10Bytes | ASCII<br>1<br>9<br>2<br>3 | 1<br>2 |

10

1Byte 8

|    |   |         |                                  |                            |
|----|---|---------|----------------------------------|----------------------------|
| 22 |   | 10Bytes | ASCII<br>1 1<br>2<br>9<br>2<br>3 |                            |
| 32 |   | 1Byte   | 8                                | 0 kW<br>1 W                |
| 33 |   | 1Byte   | 8                                | 0 10V<br>1:100V<br>2:1000V |
| 34 |   | 1Byte   | 8                                | 0 200A<br>1: 1000A         |
| 35 | / | 1Byte   | 8                                | 0<br>1:                    |
| 36 |   | 1Byte   | 8                                | 1:                         |

(4)

3

|   |    |                                  |      |
|---|----|----------------------------------|------|
|   |    |                                  |      |
| 1 | E1 | 1 E1<br>2 OverFlow<br>3 Abnormal | 10V  |
| 2 | E2 | 1 E2<br>2 OverFlow<br>3 Abnormal | 100V |

|   |     |   |          |       |
|---|-----|---|----------|-------|
| 3 | E3  | 1 | E3       | 1000V |
|   |     | 2 | OverFlow |       |
|   |     | 3 | Abnormal |       |
| 4 | E4  | 1 | E4       | 200mA |
|   |     | 2 | OverFlow |       |
|   |     | 3 | Abnormal |       |
| 5 | E5  | 1 | E5       | 100A  |
|   |     | 2 | OverFlow |       |
|   |     | 3 | Abnormal |       |
| 6 | E6  | 1 | E6       | 1000A |
|   |     | 2 | OverFlow |       |
|   |     | 3 | Abnormal |       |
| 7 | E67 | 1 | E7       |       |
|   |     | 2 | Abnormal |       |
|   |     | 3 | Abnormal |       |
|   |     | 4 | Abnormal |       |
| 8 | E8  |   | E8       |       |
|   |     | 2 |          |       |
|   |     | 3 |          |       |
|   |     | 4 |          |       |



1

- ◆ 25 10
- ◆ 20% 85%
- ◆ -20 70

2

- ◆
- ◆
- ◆
- ◆
- ◆



- ◆
- ◆
- ◆



- ◆

2







地址：湖南省长沙市经济技术开发区开元路 17 号湘商世纪鑫城 43 楼

邮编：410073

前台：0731-8839 2988

传真：0731-8839 2900

商务：0731-8839 2955

技术咨询：0731-8839 2611

售后服务：0731-8839 2988-218

网址：[www.vfe.ac.cn](http://www.vfe.ac.cn)

